

L Number	Hits	Search Text	DB	Time stamp
-	5360	(configur\$5) near4 (whole or all or entire or computer) near4 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 12:57
-	393	(configur\$5) near4 (whole or all or entire) near4 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:18
-	25879	(configur\$5 near4 (model or template or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:18
-	65	((configur\$5) near4 (whole or all or entire) near4 network) and ((configur\$5 near4 (model or template or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:58
-	28	6029196.URPN.	USPAT	2004/11/04 13:45
-	79	709/220.ccls. and provisioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:24
-	29	(709/220.ccls. and provisioning) and (@ad<20001031 or @prad<20001031)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:24
-	2	dean.in. and prerecorded adj keystrokes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 17:07
-	0	stor\$4 near4 (whole or all or entire or complete) near4 network near5 (configur\$5) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 17:07
-	7	(whole or all or entire or complete) near4 network near5 (configur\$5) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 10:33

L Number	Hits	Search Text	DB	Time stamp
1	1	09/545,439	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:53
2	1	5175800.pn. and monitor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:36
3	1	5175800.pn. and domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:56
4	1	5175800.pn. and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:00
5	56	"5175800"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:00
6	20	"5175800" and 709/220-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:00
7	0	("5175800" and 709/220-226.ccls.) and domain adj name and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:01
8	0	"5175800" and domain adj name and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:01
9	1	"5175800" and domain adj name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:01
10	42	domain adj name adj server and network near4 (monitor\$3 or manag\$5) and role and one near2 many	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:03

11	11	domain adj name adj server and network near4 (monitor\$3 or manag\$5) and role and one near2 many near3 relationship	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:03
12	2	5175800.pn. and relationship	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:36

ProQuest Search:

(configur*) w/4 (whole or all or entire) w/4 network

(configur*) w/4 (whole or all or entire) w/4 network and config* w/4 (file or model or template)

(configur*) w/4 (whole or all or entire) w/4 network and (network w/4 (model or template))